INDEX

ALBINO rats (see Rats).

Alcohol metabolism and partial starvation. An example of adaptation to undernutrition, 533.

Amino acid(s) content of roe at different stages of maturity, 139.

—— diets low in L- and D-histidine, nitrogen balance and hemoglobin of adult rats fed, 163.

—— essential, effect upon growth, of the D isomers of, in synthetic mixtures, 481.

Animal fat, level in the diet, effect on the maintenance, reproduction and lactation performance of dogs, 187.

Antibiotics and methionine, studies on the influence of on nitrogen utilization and basal metabolism of the growing male albino rat, 275.

— cobalt and vitamin B_{12}, effect on the growth performance of young pigs when added to semipurified rations, 543.

— effects of, on emetine poisoning in rats, 129.

— stimulation and inhibition of intestinal bacteria in chicks by, 289.

ARNOLD, A., AND J. S. SCHAD. Nitrogen balance studies with dogs on casein or methionine-supplemented casein, 265.

Arsanilic acid, influence of on dietary requirement of chicks for certain unidentified growth factors, 511.

ASHTON, G. C. See Kline, E. A., 543.

BACTERIA, intestinal in chicks, stimulation and inhibition of by antibiotics, 289.

Balance, nitrogen, studies with dogs on casein or methionine-supplemented casein, 265.

Banana, absorption of carbohydrate and protein as affected by feeding, 523.

Basal metabolism, influence of antibiotics and methionine on, in the growing male albino rat, 275.

—— of nineteen children from two to ten years of age, 93.

BEAL, V. A. Nutritional intake of children. II. Calcium, phosphorus and iron, 499.

Beef, addition to the diet, use of $\alpha\alpha'$-dipyridyl for determining the amount of ferrous iron formed in the digestive tract after, 83.

BENHAM, G. H. See Mittler, S., 53.

BENTON, D. A. See Monson, W. J., 563.

BERG, C. P. See Phillips, W. A., 481.

BERNHART, F. W. See Hassinen, J. B., 249.

Betaine, monomethylaminoethanol and homocystine, utilization of by vitamin B_{12}-deficient chicks as precursors of choline and methionine, 233.

BIRD, O. D. See Thompson, R. Q., 365.

BISHOP, R. W. See Combs, G. F., 511.

BYERRUM, R. U. See Decker, L. E., 303.

CALCIUM pantothenate, effect of varying intake of by pregnant rats. I. Chemical findings in the young at birth, 341.

—— utilization of by the chick as compared to pantethine, 365.

— phosphorus and iron intake of children, 499.

Carbohydrate and protein, absorption of as affected by feeding cornstarch, banana or glucose, 523.

— -free diets, effect of on the incidence of dental caries in white rats, 151.

— -low diet, effect of on the incidence of dental caries in white rats, 151.

Caries, dental (see Dental caries).

— experimental rat. IV. Effect of a natural salt mixture on the caries-conduciveness of an otherwise purified diet, 195.

— experimental rat. V. Effect of fluorine on the caries-conduciveness of a purified ration, 207.

Casein or methionine-supplemented casein in nitrogen balance studies with dogs, 265.

CATRON, D. V. See Kline, E. A., 543.

Cereals, stage of refinement of, role in the production of dental caries in the cotton rat, 17.

Chick(s) and poults, factors influencing the growth of, in rations containing rapeseed oil meal, 407.

— dietary requirement of for certain unidentified growth factors, influence of arsanilic acid on, 511.

— effects of dietary sterols and sterol esters on plasma and liver cholesterol in the, 451.

— fed purified diets containing sucrose or dextrin, effect of level of dietary protein on growth of, 563.

— stimulation and inhibition by antibiotics of intestinal bacteria in, 289.

— utilization of pantethine as compared to calcium pantothenate by the, 365.

— vitamin B_{12}-deficient, utilization of monomethylaminoethanol, homocystine and betaine as precursors of choline and methionine by, 233.

Children, basal metabolism of nineteen from two to ten years old, 93.

— nutritional intake of, II. Calcium, phosphorus and iron, 499.

Cholesterol, food, dietary constituents which may influence the use of, II. Protein, L-lysine and DL-methionine intake in adolescent rats, 601.

— plasma and liver in the chick, effects of dietary sterols and sterol esters on, 451.

Choline and methionine, utilization by vitamin B_{12}-deficient chicks of monomethylaminoethanol, homocystine and betaine as precursors of, 233.

— deficiency, histological differentiation of fatty livers produced by, 469.

—— in rabbits, chronic, progressive muscular dystrophy as a result of, 391.

—— in the rabbit, 377.

Chromic oxide, use of in digestibility and balance studies with dogs, 613.

CHUNG, N. Y. See Everson, G., 341.

Climates, cold, nutritional requirements in, 575.

Cobalt, vitamin B_{12} and antibiotics, effect on the growth performance of young pigs when added to semipurified rations, 543.

Coenzymes and enzymes, riboflavin-containing, relationship between dietary riboflavin concentration and the tissue concentration of, 303.

COMBS, G. F., G. L. ROMOSER AND R. W. BISHOP. Influence of arsanilic acid on dietary requirement of chicks for certain unidentified growth factors, 511.
CONSTANT, M. A., H. W. SIEVERT, P. H. PHILLIPS AND C. A. ELVEHJEM. Dental caries in the cotton rat. XIV. Further studies of caries production by natural diets with especial reference to the role of minerals, fat, and the stage of refinement of cereals, 17.
CONSTANT, M. A., H. W. SIEVERT, P. H. PHILLIPS AND C. A. ELVEHJEM. Dental caries in the cotton rat. XV. The effect of tooth maturity and minerals on caries production by semi-synthetic diets, 29.
COPELAND, D. H. See Hove, E. L., 377, 391.
Cornstarch, absorption of carbohydrate and protein as affected by feeding, 523.
Cotton rats (see Rats).
Cystine (L-), protein and DL-methionine intake in adolescent rats, dietary constituents which may influence the use of food cholesterol, 601.

DANIEL, L. J. See Gray, L. F., 43.
DASSLER, W. Observations on odoratism (sweet pea lathyrism) in the rat, 105.
DASSOW, J. A. See Seagram, H. L., 139.
DAVIS, P. N. See Kratzer, F. H., 407.
DAY, P. L. See Dinning, J. S., 557.
DECKER, L. E., AND R. U. BYERRUM. The relationship between dietary riboflavin concentration and the tissue concentration of riboflavin-containing coenzymes and enzymes, 303.
Dental caries in the cotton rat. XIV. Further studies of caries production by natural diets with especial reference to the role of minerals, fat and the stage of refinement of cereals, 17.
———— XV. The effect of tooth maturity and minerals on caries production by semi-synthetic diets, 29.
———— white rat, effect of carbohydrate-free and carbohydrate-low diets on the incidence of, 151.
Dextrin or sucrose, purified diets containing, effect of level of dietary protein on the growth of chicks fed, 563.
Diet(s), all-plant, failure of vitamin B_{12} to increase survival of progeny of rats fed, 259.
— amino acid, low in L- and D-histidine, nitrogen balance and hemoglobin of adult rats fed, 169.
— experimental, use of urea-inclusion compound containing essential fatty acid in, 461.
— low-fat, beneficial effect of on the swimming performance of rats and mice in cold water, 439.
— purified, containing sucrose or dextrin, effect of level of dietary protein on the growth of chicks fed, 563.
— effect of a natural salt mixture on the caries-conduciveness of, 195.
— semi-synthetic, effect of tooth maturity and minerals on caries production by, in cotton rats, 29.
Dietary constituents which may influence the use of food cholesterol. II. Protein, L-cystine and DL-methionine intake in adolescent rats, 601.
— manganese and thiamine, storage of in the rat, 73.
— protein, effect of level of on the growth of chicks fed purified diets containing sucrose or dextrin, 563.
— requirement of chicks for certain unidentified growth factors, influence of arsanilic acid on, 511.
— riboflavin, relation between concentration of and the tissue concentration of riboflavin-containing coenzymes and enzymes, 303.
— thiamine and manganese, storage of in the rat, 73.
Digestibility and balance studies with dogs, use of chromic oxide in, 613.
DINNING, J. S., R. NEATROUR AND P. L. DAY. Interrelationships of pantothenic acid and methionine in lymphocyte production by rats, 557.
Dipyridyl (aa'), use of for determining the amount of ferrous iron formed in the digestive tract of women before and after the addition of beef to the diet, 83.
Dog(s), digestibility and balance studies with, use of chromic oxide in, 613.
— effect of level of animal fat in the diet on the maintenance, reproduction and lactation performance of, 187.
— nitrogen balance studies with on casein or methionine-supplemented casein, 265.
DREISBACH, L., AND E. S. NASSET. Absorption of carbohydrate and protein as affected by feeding cornstarch, banana or glucose, 523.
DURBIN, G. T. See Hassinen, J. S., 249.
Dystrophy, progressive muscular in rabbits, as a result of chronic choline deficiency, 391.

EDITORIAL Note, Food and Nutrition Board, National Research Council, 623.
EGGERT, R. G., H. H. WILLIAMS, B. E. SHEFFY, E. G. SPRAGUE, J. K. LOOSLI AND L. A. MAYNARD. The quantitative leucine requirement of the suckling pig, 177.
ELVEHJEM, C. A. See Constant, M. A., 17, 29; Monson, W. J., 563; Nino-Herrera, H., 469; Rhodes, R. A., 289.
Emetine toxicity in rats, effects of vitamin B_{12}, organ extracts, yeast and antibiotics on, 129.
ENEB, S. See Holman, R. T., 461.
Enzymes and coenzymes, riboflavin-containing, relationship between dietary riboflavin concentration and the tissue concentration of, 303.
ERSHOFF, B. H. Beneficial effect of low-fat diets on the swimming performance of rats and mice in cold water, 439.
EVERSON, G., L. NORTHRUP, N. Y. CHUNG, R. GETTY AND C. PUDELKEWICZ. Effect of varying the intake of calcium pantothenate of rats during pregnancy. I. Chemical findings in the young at birth, 341.
Excretion of iron from gastrointestinal sources in the feces of human subjects, 351.
— urinary, of tryptophan by human subjects on controlled diets varying in levels and sources of protein, 115.

FAT, animal, level in the diet, effect on the maintenance, reproduction and lactation performance of dogs, 187.
Fats, role of in the production of dental caries in the cotton rat, 17.
Fatty acid, essential, use of urea-inclusion compound containing, in an experimental diet, 461.

Feces of human subjects, excretion of iron from gastrointestinal sources in the, 351.
Fluorine balance studies on four infants, 215.
——————— three women, 225.
— effect of on the caries conduciveness of a purified ration, 207.
Food cholesterol, dietary constituents which may influence the use of, II. Protein, L-cystine and DL-methionine intake in adolescent rats, 601.
Food and Nutrition Board, National Research Council, Editorial Note, 623.
FORBES, R. M., WITH THE TECHNICAL ASSISTANCE OF M. YOHE. Studies on the influence of antibiotics and methionine on nitrogen utilization and basal metabolism of the growing male albino rat, 275.
FRAZIER, E. I., WITH THE ASSISTANCE OF A. L. STUTTS. The urinary excretion of tryptophan by human subjects on controlled diets varying in levels and sources of protein, 115.

GATEWOOD, V. H. See Nasset, E. S., 163.
GETTY, R. See Everson, G., 341.
Glucose, absorption of carbohydrate and protein as affected by feeding, 523.
GRAU, C. R., AND R. STEELE. Phenylalanine and tyrosine utilization in normal and phenylalanine-deficient young mice, 59.
GRAY, L. F., AND L. J. DANIEL. Some effects of excess molybdenum on the nutrition of the rat, 43.
Growth, effect upon of the D isomers in synthetic mixtures of the essential amino acids, 481.
— factors, unidentified, influence of arsanilic acid on dietary requirement of chicks for, 511.
— of chicks and poults fed rations containing rapeseed oil meal, factors influencing, 407.
— performance of young pigs, effect of adding cobalt, vitamin B_{12} and antibiotics to semipurified diets on the, 543.
GUGGENHEIM, K., AND S. HALEVY. The effects of vitamin B_{12}, organ extracts, yeast and antibiotics on emetine toxicity in rats, 129.

HALEVY, S. See Guggenheim, K., 129.
HAM, M. P., AND M. D. SMITH. Fluorine balance studies on four infants, 215.
——————— Fluorine balance studies on three women, 225.
HARPER, A. E. See Monson, W. J., 563; Nino-Herrera, H., 469; Rhodes, R. A., 289.
HASSINEN, J. B., G. T. DURBIN AND F. W. BERNHART. The vitamin B_6 content of milk products, 249.
HEGSTED, D. M. See Vitale, J. J., 533.
Hemoglobin and nitrogen balance of adult rats fed amino diets low in L- and D-histidine, 163.
HEUSER, G. F. See Young, R. J., 233.
HILL, R. H., AND D. E. HOLTCAMP. Storage of dietary manganese and thiamine in the rat, 73.
Histidine (L- and D-), nitrogen balance and hemoglobin of adult rats fed amino acid diets low in, 163.
Histological differentiation of fatty livers produced by threonine or choline deficiency, 469.
HOLMAN, R. T., AND S. ENER. Use of urea-inclusion compound containing essential fatty acid in an experimental diet, 461.
HOLST, AXEL (1860–1931), 2.
HOLTCAMP, D. E. See Hill, R. M., 73.
HOMEYER, P. G. See Kline, E. A., 543.
Homocystine, monomethylaminoethanol and betaine, utilization of by vitamin B_{12}-deficient chicks as precursors of choline and methionine, 233.
HOVE, E. L., AND D. H. COPELAND. Progressive muscular dystrophy in rabbits as a result of chronic choline deficiency, 391.
HOVE, E. L., D. H. COPELAND AND W. D. SALMON. Choline deficiency in the rabbit, 377.
HUBBELL, R. B. A comparison of two stock rations for albino rats, 429.

INFANTS, fluorine balance studies on four, 215.
INGALLS, R. L. See Johnston, F. A., 83.
INGALLS, R. L., AND F. A. JOHNSTON. Iron from gastrointestinal sources excreted in the feces of human subjects, 351.
Iodine compounds, insoluble, nutritional availability of iodine from several, 53.
Iron, calcium and phosphorus intake of children, 499.
Iron, ferrous, use of $\alpha\alpha'$-dipyridyl for determining the amount of, formed in the digestive tract of women before and after the addition of beef to the diet, 83.
— from gastrointestinal sources excreted in the feces of human subjects, 351.

JOHNSON, B. C. Axel Holst (1860–1931), 3.
JOHNSTON, F. A. See Ingalls, R. L., 351.
JOHNSTON, F. A., R. L. INGALLS AND B. O. MUKA. The use of $\alpha\alpha'$-dipyridyl for determining the amount of ferrous iron formed in the digestive tract of women before and after the addition of beef to the diet, 83.

KASTELIC, J. See Kline, E. A., 543.
KLINE, E. A., J. KASTELIC, G. C. ASHTON, P. G. HOMEYER, L. QUINN AND D. V. CATRON. The effect on the growth performance of young pigs of adding cobalt, vitamin B_{12} and antibiotics to semipurified rations, 543.
KRATZER, F. H., P. N. DAVIS, D. E. WILLIAMS AND B. J. MARSHALL. Factors influencing the growth of chicks and poults fed rations containing rapeseed oil meal, 407.

LACTATION performance of dogs, effect of the level of animal fat in the diet on maintenance, reproduction and, 187.
LAMB, M. W., AND J. MCC. MICHIE. Basal metabolism of nineteen children from two to ten years old, 93.
Lathyrism, sweet pea (odoratism), observations on in the rat, 105.
Leucine requirement of the suckling pig, 177.
Liver and plasma cholesterol in the chick, effects of dietary sterols and sterol esters on, 451.
Livers, fatty, produced by threonine or choline deficiency, histological differentiation of 469.
LLOYD, L. E., AND C. M. MCCAY. The use of chromic oxide in digestibility and balance studies with dogs, 613.
LOOSLI, J. K. See Eggert, R. G., 177.
LYMAN, M. M. See Okey, R., 601.

Lymphocyte production by rats, interrelationships of pantothenic acid and methionine in, 557.

MANGANESE and thiamine storage in the rat, 73.
MARSHALL, B. J. See Kratzer, F. H., 407.
MARTINDALE, W. E. See Olsen, N. S., 317, 329.
MAYNARD, L. A. See Eggert, R. G., 177.
McCAY, C. M. See Lloyd, L. E., 613.
Metabolism, basal (see Basal metabolism).
— tissue, changes in, in chronic vitamin B_6 deficiency in the rat, 329.
Methionine (DL-), protein and L-cystine intake in adolescent rats, dietary constituents which may influence the use of food cholesterol, 601.
— and antibiotics, studies on the influence of on nitrogen utilization and basal metabolism of the growing male albino rat, 275.
— and choline, utilization by vitamin B_{12}-deficient chicks of monomethylaminoethanol, homocystine and betaine as precursors of choline and methionine, 233.
— and pantothenic acid, interrelationships of in lymphocyte production by rats, 557.
— -supplemented casein and casein in nitrogen balance studies with dogs, 265.
Mice and rats, swimming performance of in cold water, beneficial effect of low-fat diets on, 439.
— phenylalanine and tyrosine utilization in normal and phenylalanine-deficient young, 59.
MICHIE, J. McC. See Lamb, M. W., 93.
Microbiological evaluation of protein quality. II. Studies of the response of *Tetrahymena pyriformis* W to intact proteins, 589.
Milk products, vitamin B_6 content of, 249.
Minerals, role of, in the production of dental caries in the cotton rat, 17.
MITTLER, S., AND G. H. BENHAM. Nutritional availability of iodine from several insoluble iodine compounds, 53.
Molybdenum, effects of excess on the nutrition of the rat, 43.
Monomethylaminoethanol, homocystine and betaine, utilization of by vitamin B_{12}-deficient chicks as precursors of choline and methionine, 233.
MONSON, W. J. See Rhodes, R. A., 289.
MONSON, W. J., A. E. HARPER, D. A. BENTON AND C. A. ELVEHJEM. The effect of level of dietary protein on the growth of chicks fed purified diets containing sucrose or dextrin, 563.
MOREY, D. E. See Seagram, H. L., 139.
MUKA, B. O. See Johnston, F. A., 83.
Muscular dystrophy, progressive in rabbits, as a result of chronic choline deficiency, 391.

NASSET, E. S. See Dreisbach, L., 523.
NASSET, E. S., AND V. H. GATEWOOD. Nitrogen balance and hemoglobin of adult rats fed amino acid diets low in L- and D-histidine, 163.
NAY, J. See Vitale, J. J., 533.
NEATROUR, R. See Dinning, J. S., 557.
NINO-HERRERA, H., A. E. HARPER AND C. A. ELVEHJEM. Histological differentiation of fatty livers produced by threonine or choline deficiency, 469.
Nitrogen balance and hemoglobin of adult rats fed amino acid diets low in L- and D-histidine, 163.
—— studies with dogs on casein or methionine-supplemented casein, 265.
— utilization, influence of antibiotics and methionine on, in the growing male albino rat, 275.
NORRIS, L. C. See Young, R. J., 233.
NORTHRUP, L. See Everson, G., 341.
Nutrition of the rat, effects of excess molybdenum on, 43.
Nutritional availability of iodine from several insoluble iodine compounds, 53.
— intake of children. II. Calcium, phosphorus and iron, 499.
— requirement in cold climates, 575.

ODORATISM (sweet pea lathyrism), observations on, in the rat, 105.
OKEY, R., AND M. M. LYMAN. Dietary constituents which may influence the use of food cholesterol. II. Protein, L-cystine and DL-methionine intake in adolescent rats, 601.
OLSEN, N. S., AND W. E. MARTINDALE. Studies on chronic vitamin B_6 deficiency in the rat. I. Changes in the intact animal, 317; II. Changes in tissue metabolism, 329.
Organ extracts, effect of on emetine toxicity in rats, 129.
—meats, vitamin B_{12} content of, 419.

PANTETHINE, utilization of as compared to calcium pantothenate by the chick, 365.
Pantothenic acid and methionine, interrelationships of in lymphocyte production by rats, 557.
PEEK, N. F. See Peterson, D. W., 451.
PERDUE, H. S., AND P. H. PHILLIPS. Failure of vitamin B_{12} to increase survival of progeny of rats fed an all-plant diet, 259.
PETERSON, D. W., E. A. SHNEOUR AND N. F. PEEK. Effects of dietary sterols and sterol esters on plasma and liver cholesterol in the chick, 451.
PETERSON, F. E. See Thompson, R. Q., 365.
Phenylalanine and tyrosine utilization in normal and phenylalanine-deficient young mice, 59.
PHILLIPS, P. H. See Constant, M. A., 17, 29; Perdue, H. S., 259.
PHILLIPS, W. A., AND C. P. BERG. Effect upon growth of the D isomers in synthetic mixtures of the essential amino acids, 481.
Phosphorus, calcium and iron intake of children, 499.
Pig(s), growth performance of young, effect of adding cobalt, vitamin B_{12} and antibiotics to semipurified rations, 543.
— suckling, quantitative leucine requirement of, 177.
PILCHER, H. L., AND H. H. WILLIAMS. Microbiological evaluation of protein quality. II. Studies of the response of *Tetrahymena pyriformis* W to intact proteins, 589.
Plant diet, failure of vitamin B_{12} to increase the survival of progeny of rats fed an all-, 259.
Plasma and liver cholesterol in the chick, effects of dietary sterols and sterol esters on, 451.
Poults and chicks, factors influencing the growth of, fed rations containing rapeseed oil meal, 407.
Pregnancy of rats, effects of varying the intake of calcium pantothenate during, I. Chemical findings in the young at birth, 341.

Protein(s) and carbohydrate, absorption of as affected by feeding cornstarch, banana or glucose, 523.
— L-cystine and DL-methionine intake in adolescent rats, dietary constituents that may influence the use of dietary cholesterol, 601.
— dietary, effect of level of on the growth of chicks fed purified diets containing sucrose or dextrin, 563.
— intact, studies of the response of *Tetrahymena pyriformis* W to, 589.
— quality, microbiological evaluation of, II. Studies of the response of *Tetrahymena pyriformis* W to intact proteins, 589.
— urinary excretion of tryptophan by human subjects on controlled diets varying in levels and sources of, 115.
PUDELKEWICZ, C. See Everson, G., 341.

QUINN, L. See Kline, E. A., 543.

RABBIT, choline deficiency in the, 377.
Rapeseed oil meal, factors influencing the growth of chicks and poults fed rations containing, 407.
Rat(s), adolescent, protein, L-cystine and DL-methionine intake in, dietary constituents which may influence the use of food cholesterol, 601.
— adult, nitrogen balance and hemoglobin of when fed amino acid diets low in L- and D-histidine, 163.
— albino, comparison of two stock rations for, 429.
— and mice, swimming performance of in cold water, beneficial effects of low-fat diets on, 439.
— cotton, dental caries in. XIV. Further studies of caries production by natural diets with especial reference to the role of minerals, fat, and the stage of refinements of cereals, 17.
— — — — — XV. The effect of tooth maturity and minerals on caries production by semi-synthetic diets, 29.
— emetine toxicity in, effects of vitamin B_{12}, organ extracts, yeast and antibiotics on, 129.
— growing male albino, influence of antibiotics and methionine on nitrogen utilization and basal metabolism of, 275.
— interrelationships of pantothenic acid and methionine in lymphocyte production by, 557.
— nutrition of, effects of excess molybdenum on, 43.
— odoratism (sweet pea lathyrism) in, observations on, 105.
— pregnant, effect of varying the intake of calcium pantothenate of. I. Chemical findings in the young at birth, 341.
— progeny of, fed an all-plant diet, failure of vitamin B_{12} to increase survival of, 259.
— storage of dietary manganese and thiamine in the, 73.
— studies on chronic vitamin B_6 deficiency in, I. Changes in the intact animal, 317; II. Changes in tissue metabolism, 329.
— white, effect of carbohydrate-free and carbohydrate-low diets on the incidence of dental caries in, 151.
Rations containing rapeseed oil meal, factors influencing the growth of chicks and poults fed, 407.
— — effect of fluorine on the caries-conduciveness of a, 207.
— semipurified, effect on the growth performance of young pigs of adding cobalt, vitamin B_{12} and antibiotics to, 543.
— stock, comparison of two for albino rats, 429.
Reproduction, maintenance and lactation in dogs, effect of the level of animal fat in the diet on, 187.
RHODES, R. A., W. B. SARLES, W. J. MONSON, A. E. HARPER AND C. A. ELVEHJEM. Stimulation and inhibition by antibiotics of intestinal bacteria in chicks, 289.
Riboflavin-containing coenzymes and enzymes, relationship between dietary riboflavin concentration and the tissue concentration of, 303.
RODAHL, K. Nutritional requirements in cold climates, 575.
Roe, five species of Pacific salmon, amino acid content of at different stages of maturity, 139.
ROMOSER, G. L. See Combs, G. F., 511.

SALMON, Pacific, five species of, amino acid content of roe at different stages of maturity, 139.
SALMON, W. D. See Hove, E. L., 377.
Salt mixtures, natural, effect of, on the caries-conduciveness of an otherwise purified diet, 195.
SARLES, W. B. See Rhodes, R. A., 289.
SCHAD, J. S. See Arnold, A., 265.
SCHEID, H. E., AND B. S. SCHWEIGERT. Vitamin B_{12} content of organ meats, 419.
SCHWEIGERT, B. S. See Scheid, H. E., 419; Siedler, A. J., 187.
SEAGRAM, H. L., D. E. MORRY AND J. A. DASSOW. The amino acid content of roe at different stages of maturity from five species of Pacific salmon, 139.
SHAW, J. H. The effect of carbohydrate-free and carbohydrate-low diets on the incidence of dental caries in white rats, 151.
— — — See Sognnaes, R. F., 195.
— — — AND R. F. SOGNNAES. Experimental rat caries. V. Effect of fluorine on the caries conduciveness of a purified ration, 207.
SHEFFY, B. E. See Eggert, R. G., 177.
SHNEOUR, E. A. See Peterson, D. W., 451.
SIEDLER, A. J., AND B. S. SCHWEIGERT. Effect of the level of animal fat in the diet on the maintenance, reproduction and lactation performance of dogs, 187.
SIEVERT, H. W. See Constant, M. A., 17, 29.
SMITH, M. D. See Ham, M. P., 215, 225.
SOGNNAES, R. F. See Shaw, J. H., 207.
— — — AND J. H. SHAW. Experimental rat caries. IV. Effect of a natural salt mixture on the caries-conduciveness of an otherwise purified diet, 195.
SPRAGUE, E. G. See Eggert, R. G., 177.
Starvation, partial, and alcohol metabolism. An example of adaptation to undernutrition, 533.
STEELE, R. See Grau, C. R., 59.
Sterols and sterol esters, dietary, effects of on plasma and liver cholesterol in the chick, 451.
Stock ration for albino rats, comparison of two, 429.
STUTTS, A. L. See Frazier, E. I., 115.
Sucrose or dextrin, purified diets containing, effect of level of dietary protein on the growth of chicks fed, 563.

TETRAHYMENA pyriformis W, studies of the response of to intact proteins, 589.
Thiamine and manganese storage in the rat, 73.
THOMPSON, R. Q., O. D. BIRD AND F. E. PETERSON. The utilization of pantethine as compared to calcium pantothenate by the chick, 365.
Threonine deficiency, histological differentiation of fatty livers produced by, 469.
Tissue metabolism, changes in, due to chronic vitamin B_6 deficiency in the rat, 329.
Tooth maturity and minerals, effect on caries production in the cotton rat by semi-synthetic diets, 29.
Toxicity, emetine, in rats, effects of vitamin B_{12}, organ extracts, yeast and antibiotics on, 129.
Tryptophan, urinary excretion of by human subjects on controlled diets varying in levels and sources of protein, 115.
Tyrosine and phenylalanine utilization in normal and phenylalanine-deficient young mice, 59.

UNDERNUTRITION, adaptation to, partial starvation and alcohol metabolism, 533.
Urea-inclusion compound containing essential fatty acid, use of in an experimental diet, 461.
Urinary excretion of tryptophan by human subjects on controlled diets varying in levels and sources of protein, 115.

VITALE, J. J., J. NAY AND D. M. HEGSTED. Partial starvation and alcohol metabolism. An example of adaptation to undernutrition, 533.
Vitamin(s) B_6 content of milk products, 249.
— B_6 deficiency in the rat, studies on chronic. I. Changes in the intact animal, 317; II. Changes in tissue metabolism, 329.
— B_{12}, cobalt and antibiotics, effect on the growth performance of young pigs when added to semipurified rations, 543.
— B_{12} content of organ meats, 419.
— B_{12}-deficient chicks, utilization of monomethylaminoethanol, homocystine and betaine as precursors of choline and methionine by, 233.
— B_{12}, effects of on emetine toxicity in rats, 129.
— B_{12}, failure of, to increase survival of progeny of rats fed an all-plant diet, 259.

WILLIAMS, D. E. See Kratzer, F. H., 407.
WILLIAMS, H. H. See Eggert, R. G., 177; Pilcher, H. L., 589.
Women, fluorine balance studies on three, 225.

YEAST, effects of on emetine toxicity in rats, 129.
YOHE, M. See Forbes, R. M., 275.
YOUNG, R. J., L. C. NORRIS AND G. F. HEUSER. The utilization by vitamin B_{12}-deficient chicks of monomethylaminoethanol, homocystine and betaine as precursors of choline and methionine, 233.